

53, Hazra Road, Kolkata - 700 019, Phone: 2475-0130/31/32/33/35, Fax No.: 2475-0136, CIN : U85195WB1998PTC085391

Regd. Office : 41, Hazra Road, Kolkata - 700 019, Phone: 2474-1820/1821/4455/4466, Fax No.: 2485 1416
email : services@quadradiagnostics.com Website : www.quadradiagnostics.com

DEPARTMENT OF PATHOLOGY

Pg.# 1 of 1

Sample Id. No. : 53/20A16/146 Dept. : SPE-15
Patient Name : Ms. Soumana Dasgupta
Age : 52years , Sex : Female
Address : 82 SUCHETANAGAR HALTU, 700078, Kolkata
Referred by : Dr. Snehasis Basu

Collection Date, Time :16/01/20,09:06
Receiving Date, Time :16/01/20, 09:45
Report Date, Time :16/01/20, 13:31

SPECIAL BIOCHEMISTRY
(Test Report)

<u>Test-Parameter</u>	<u>Result</u>	<u>Unit</u>	<u>Biological Reference Interval</u>	<u>Method</u>
Serum TSH	0.499	micro IU/mL	(0.35 - 4.94)	CMIA

Equipment(s) Used : Architect i1000 SR / Architect i2000 SR

Primary Sample : Serum

N.B.: The Test Results need to be corelated clinically.

--- End of Report ---

Dr. Asish Kr. Datta
MD (PGI)
CHIEF OF PATHOLOGY

Dr. Subhasis Basu
MD (MANIPAL)
CONSULTANT PATHOLOGIST

Dr. Manas Muhury
MD (PATH)
CONSULTANT PATHOLOGIST

Dr. Trishna Sengupta
Ph.D (Biochemistry)
CONSULTANT BIOCHEMIST

Checked by : AMITDAS01

*Result relates only to the item tested.

Printed by :

Tsguyl